
North America's Leader in Hazardous Material Information Management
1905 Aston Avenue, Carlsbad, CA 92008
Phone (800) 451-8346 Fax (760) 602-8888

MSDS PRODUCT INFORMATION

Date: 10/07/2005
To: MSDS Requester
From: 3E Company
Subject: The MSDS you have requested

☐ MSDS NOT REQUIRED

In response to your request for a Material Safety Data Sheet, according to the OSHA Hazard Communication Standard (Right-to-Know), the following item is an article. Articles are defined in 29 CFR 1910.1200(c). Products such as Drugs, cosmetics, food, or alcoholic beverages, wood or wood products, and tobacco or tobacco products, as defined in 29 CFR 1910.1200(b)(6), are exempt from the Hazard Communication Standard. Items that are considered articles, as defined in 29 CFR 1910.1200(c), are also exempt from this Standard. Therefore, the manufacturer is not required to provide an MSDS for this product.

☒ MSDS DISCONTINUED PRODUCT

In response to your request for a Material Safety Data Sheet, the manufacturer has discontinued the product listed below. The MSDS Attached is the most current version, or an MSDS is no longer available.

☐ MSDS BEST COPY AVAILABLE

The MSDS attached is the best copy available from the manufacturer.

☐ MANUFACTURER NO LONGER IN BUSINESS

In response to your request for a Material Safety Data Sheet, a current MSDS could not be obtained for this product. It has been determined that the manufacturer listed below is no longer in business. A current address and phone number could not be located.

Manufacturer: JohnsonDiversey, Inc.
Product Name: Concrete Cleaner (DISCONTINUED)

MATERIAL SAFETY DATA SHEET

Page 1 of 4

MSDS # 126255001

CONCRETE CLEANER

Date Issued: 18Jun1997

Supersedes: 08Mar1996

Drackett Professional
A Division of
S.C. Johnson Commercial Markets, Inc.
8310 16th Street
Sturtevant, Wisconsin 53177-0902
Phone: (800) 725-6737
Emergency Phone: (800) 851-7145

HAZARD RATING	HMIS	HAZARD	NFPA
4-Very High	3	Health	3
3-High	0	Flammability	0
2-Moderate	0	Reactivity	0
1-Slight		Special	
0-Insignificant			

SECTION 1 - PRODUCT IDENTIFICATION

PRODUCT NAME..... CONCRETE CLEANER
REASON FOR CHANGE..... No significant changes.
PRODUCT USE..... Industrial/Institutional: Floor care

UPC	SCJ CODE	QUANTITY	US SIZE	CANADIAN SIZE
19800 94460	94460	4	1 GAL	3.78 L

SECTION 2 - INGREDIENT INFORMATION

INGREDIENT	WEIGHT%	EXPOSURE LIMIT/TOXICITY
[PA NJ MA] Sodium Hydroxide (CAS# 1310-73-2)...	1-3	2 mg/m ³ ACGIH/OSHA CEILING LD50: 140-340 mg/kg (oral-rat) LC50: >40 mg/m ³ (inhalation-rat) 1 hr.
Sodium Silicate (CAS# 1344-09-8).....	1-4	NOT ESTABLISHED LD50: 1,150 mg/kg (oral-rat)
Tetrasodium Salt of EDTA (CAS# 64-02-8).....	1-4	NOT ESTABLISHED LD50: >630 mg/kg (oral-rat) LC50: >5,000 mg/kg (dermal-rabbit)
Alkylphenoxy Polyethoxyethanol..... (CAS# 26027-38-3)	1-5	NOT ESTABLISHED LD50: 1,600-2,000 mg/kg (oral-rat) 2,830 mg/kg (dermal-rabbit)
Sodium Xylene Sulfonate (CAS# 1300-72-7).....	1-5	NOT ESTABLISHED LD50: 2000 mg/kg (oral-rat)
[PA NJ MA SARA] 2-Butoxyethanol..... (CAS# 111-76-2)	8-12	25 ppm ACGIH/OSHA TWA (SKIN) LD50: 560-3,000 mg/kg (oral-rat) LC50: 500 ppm (inhalation-rat) 4 hrs.
Water (CAS# 7732-18-5).....	80-95	NOT ESTABLISHED

SECTION 3 - HEALTH HAZARDS IDENTIFICATION (Also See Section 11)

ROUTE(S) OF ENTRY..... Eye contact. Skin contact. Ingestion.
EFFECTS OF ACUTE EXPOSURE:
EYE..... Corrosive: May cause: Permanent eye damage.
SKIN..... Corrosive: May cause: Chemical burns.
INHALATION..... May cause: Irritation of the respiratory tract.
INGESTION..... Corrosive to mouth and digestive tract.
MEDICAL CONDITIONS..... None known.
GENERALLY RECOGNIZED
AS BEING AGGRAVATED
BY EXPOSURE

SECTION 4 - FIRST AID MEASURES

EYE CONTACT..... Flush immediately with plenty of water for at least 15 to 20 minutes. Seek immediate medical attention.

MATERIAL SAFETY DATA SHEET

Page 2 of 4

MSDS # 126255001

CONCRETE CLEANER

Date Issued: 18Jun1997

Supersedes: 08Mar1996

SECTION 4 - FIRST AID MEASURES (continued)

SKIN CONTACT..... Immediately remove contaminated clothing, shoes & leather goods. Rinse with plenty of water. If irritation persists, get medical attention.

INHALATION..... Remove to fresh air. If breathing is affected, get medical attention.

INGESTION..... Rinse mouth immediately. Immediately drink 1-2 glasses of water or milk. Do not induce vomiting! Seek immediate medical attention.

SECTION 5 - FIRE AND EXPLOSION INFORMATION

FLASH POINT..... Not applicable.

FLAMMABLE LIMITS..... Not applicable.

AUTOIGNITION..... Not applicable.

TEMPERATURE

EXTINGUISHING MEDIA.... Foam, CO2, Dry chemical, Water fog.

SPECIAL FIREFIGHTING... Normal fire fighting procedure may be used. Cool and use caution PROCEDURES when approaching or handling fire-exposed containers.

UNUSUAL FIRE AND..... Corrosive Material (See Sections 8 and 10).

EXPLOSION HAZARDS

SECTION 6 - PREVENTIVE RELEASE MEASURES

STEPS TO BE TAKEN IN... Absorb with oil-dri or similar inert material. Sweep or scrape up CASE MATERIAL IS and containerize. Rinse affected area thoroughly with water.

RELEASED OR SPILLED Wear/use appropriate protective equipment.

SECTION 7 - HANDLING AND STORAGE

PRECAUTIONARY..... DANGER: CORROSIVE: May burn skin and damage eyes. Harmful or INFORMATION fatal if swallowed. Contains: sodium hydroxide, glycol ether, alkali detergents. Avoid breathing spray mist or vapors. Wear rubber gloves and adequate eye protection. Avoid contact with skin, eyes and clothing. Keep out of reach of children. FOR INDUSTRIAL USE ONLY.

OTHER HANDLING AND.... Store in a cool, dry place with adequate ventilation. Wash STORAGE CONDITIONS thoroughly after handling. Launder contaminated clothing/ equipment before reuse.

SECTION 8 - SPECIAL PROTECTION INFORMATION

RESPIRATORY PROTECTION. If mists/vapors are not adequately controlled by ventilation, use appropriate respiratory protection to prevent overexposure.

VENTILATION..... General room ventilation is normally adequate. Substantial amounts of mists/vapors can be controlled with local exhaust ventilation or respiratory protection.

PROTECTIVE GLOVES..... For undiluted product: Any impervious material. No special requirements under normal use conditions.

EYE PROTECTION..... No special requirements under normal use conditions. For undiluted product: Safety glasses with side shields.

OTHER PROTECTIVE..... If major exposure is possible to eyes/skin, wear/use appropriate MEASURES protective equipment.

MATERIAL SAFETY DATA SHEET

Page 3 of 4

MSDS # 126255001

CONCRETE CLEANER

Date Issued: 18Jun1997

Supersedes: 08Mar1996

----- SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES -----

COLOR..... Clear Red
PRODUCT STATE..... Liquid.
ODOR..... Mild
pH..... 12.0 min.
ODOR THRESHOLD..... Not available.
SOLUBILITY IN WATER.... Complete
SPECIFIC GRAVITY..... 1.0
(H2O=1)
VAPOR DENSITY (AIR=1).. > 1
EVAPORATION RATE (BUTYL ACETATE=1) < 1
VAPOR PRESSURE (mm HG). Not available.
BOILING POINT..... 212°F (100°C)
FREEZING POINT..... 32°F (0°C)
COEFFICIENT OF..... Not available.
WATER/OIL
PERCENT VOLATILE BY.... Not available.
VOLUME (%)
VOLATILE ORGANIC..... Glycol Ether.
COMPOUND (VOC)
THEORETICAL VOC..... Not available.
(LB/GAL)

----- SECTION 10 - STABILITY AND REACTIVITY -----

STABILITY..... Stable
STABILITY - CONDITIONS. None known.
TO AVOID
INCOMPATIBILITY..... Strong acids (eg., muriatic acid). Strong oxidizing materials
(e.g. liquid chlorine). Avoid contact with: Non ferrous metals.
(e.g., zinc, aluminum)
HAZARDOUS DECOMPOSITION PRODUCTS Produces normal products of combustion.
HAZARDOUS..... Will not occur.
POLYMERIZATION
HAZARDOUS..... None known.
POLYMERIZATION -
CONDITIONS TO AVOID

----- SECTION 11 - TOXICOLOGY INFORMATION (Also See Section 3) -----

LD50 (ACUTE ORAL TOX).. Corrosive
LD50 (ACUTE DERMAL TOX) Not available.
EFFECTS OF CHRONIC.... None known.
EXPOSURE
SENSITIZATION..... None known.
CARCINOGENICITY..... None known.
REPRODUCTIVE TOXICITY.. None known.
TERATOGENICITY..... None known.
MUTAGENICITY..... None known.

----- SECTION 12 - ECOLOGICAL INFORMATION -----

ENVIRONMENTAL DATA.... Not available.

MATERIAL SAFETY DATA SHEET

Page 4 of 4

MSDS # 126255001

CONCRETE CLEANER

Date Issued: 18Jun1997

Supersedes: 08Mar1996

SECTION 13 - DISPOSAL CONSIDERATIONS

WASTE DISPOSAL INFORMATION..... Disposal of undiluted product is regulated under environmental and transportation laws as a corrosive waste.

SECTION 14 - TRANSPORTATION INFORMATION

US DOT INFORMATION..... Corrosive liquids, N.O.S. (Sodium Hydroxide, Sodium Silicate), 8, UN 1760, PG II.
CANADIAN SHIPPING NAME. CORROSIVE LIQUIDS, N.O.S. (Sodium Hydroxide, Sodium Silicate)
TDG CLASSIFICATION..... 8
PIN/NIP..... UN 1760
PACKING GROUP..... II
EXEMPTION NAME..... Not applicable.

SECTION 15 - REGULATORY INFORMATION

WHMIS CLASSIFICATION... D,2B; E

All ingredients of this product are listed or are excluded from listing on the U.S. Toxic Substances Control Act (TSCA) Chemical Substance Inventory.

All ingredients in this product comply with the New Substances Notification Requirements under the Canadian Environmental Protection Act (CEPA).

This product is not subject to the reporting requirements under California's Proposition 65. These ingredients from Section 2 are subject to the following reporting requirements:

PA - The Pennsylvania Hazardous Substance List
NJ - The New Jersey Right to Know Hazardous Substance List
MA - The Massachusetts Hazardous Substance List
SARA - The Superfund Amendments and Reauthorization Act of 1986 Title III, Section 313 and 40 CFR Part 372

SECTION 16 - OTHER INFORMATION

ADDITIONAL INFORMATION. Use as directed.
EPA REGISTRATION #..... Not applicable.

PREPARATION INFORMATION

PREPARED BY..... Manufacturer's Technical Support Department. Refer to page 1 (Manufacturer) for contact information.

This document has been prepared using data from sources considered technically reliable. It does not constitute a warranty, express or implied, as to the accuracy of the information contained herein. Actual conditions of use and handling are beyond seller's control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State, Provincial and Local laws and regulations.

PRINT DATE: 03Mar1998